

06.09.2024 PROFICIENCY EXAM RESULTS

	STUDENT NUMBER	SCORE	PASS / FAIL
1	240201408	96,5	PASS
2	240202420	95,5	PASS
3	240902621	95,5	PASS
4	240201456	95	PASS
5	240202428	94,5	PASS
6	230201042	94	PASS
7	230208877	93	PASS
8	240104641	93	PASS
9	240208420	93	PASS
10	240203605	92,5	PASS
11	240208433	92,5	PASS
12	240106441	92	PASS
13	240201421	92	PASS
14	240201450	92	PASS
15	240202405	92	PASS
16	240208452	92	PASS
17	240208468	92	PASS
18	240104441	91	PASS
19	240210426	91	PASS
20	240213006	91	PASS
22	240201432	90	PASS
23	240201463	90	PASS
24	240210606	89,5	PASS
25	240203423	88,5	PASS
26	240211650	88,5	PASS
27	240102604	88	PASS
28	240202415	88	PASS
29	240208415	88	PASS
30	240208806	87,5	PASS
31	240104689	86,5	PASS
32	240202436	86,5	PASS
33	240210431	86,5	PASS
34	240208426	86	PASS
35	240210424	86	PASS
36	240211433	86	PASS
37	230104904	85	PASS
38	240106444	85	PASS
39	240101447	84,5	PASS
40	240101644	84,5	PASS
41	240201435	84,5	PASS
43	240203432	84,5	PASS
44	240211412	84,5	PASS
45	230203937	84	PASS
46	240201428	83,5	PASS
47	240203442	83	PASS
48	240213001	83	PASS
49	240105404	82	PASS

50	240203425	82	PASS
51	240211435	82	PASS
52	240203414	81,5	PASS
53	240201406	81	PASS
54	240101404	80,5	PASS
55	240201447	80,5	PASS
56	240208431	80,5	PASS
57	240201446	80	PASS
58	240208422	80	PASS
59	240201461	79	PASS
60	230101948	78,5	PASS
61	240201429	78,5	PASS
62	240201470	78	PASS
63	240202433	78	PASS
64	240202438	78	PASS
65	240208463	78	PASS
66	240106421	77,5	PASS
67	240105406	77	PASS
68	240106407	77	PASS
69	240208614	77	PASS
70	230202943	76,5	PASS
71	240106417	76,5	PASS
72	240203457	76,5	PASS
73	240208453	76,5	PASS
74	220203982	76	PASS
75	230104933	76	PASS
76	240201699	76	PASS
77	240203415	76	PASS
78	240211425	76	PASS
79	240211629	76	PASS
80	240210420	75,5	PASS
81	240208410	75	PASS
82	240211432	75	PASS
84	230203010	74,5	PASS
85	240208464	74,5	PASS
86	240208612	74,5	PASS
87	240208620	74,5	PASS
89	230201900	74	PASS
90	240202421	74	PASS
91	230104932	73,5	PASS
92	230208914	73,5	PASS
93	240106416	73,5	PASS
94	240201438	73,5	PASS
95	240101441	73	PASS
96	240202440	73	PASS
97	240203451	73	PASS
98	220208788	72,5	PASS
99	230106006	72,5	PASS
100	230202019	72,5	PASS
101	230211033	72,5	PASS

102	240106436	72,5	PASS
103	240203410	72,5	PASS
104	240208457	72,5	PASS
106	230208719	72	PASS
107	240203441	72	PASS
108	240203443	72	PASS
109	240203445	72	PASS
110	230101933	71,5	PASS
111	230208058	71,5	PASS
112	240106419	71,5	PASS
113	240201423	71,5	PASS
114	240210446	71,5	PASS
115	220208756	71	PASS
116	240208469	71	PASS
117	240211426	71	PASS
118	230101015	70,5	PASS
119	220208896	69,5	PASS
120	240202601	69,5	PASS
121	240203436	69,5	PASS
122	240208470	69,5	PASS
123	240210407	69,5	PASS
124	220208791	69	PASS
125	230202933	69	PASS
126	240201420	69	PASS
127	240203426	69	PASS
128	240208440	69	PASS
129	230201401	68,5	PASS
130	230208030	68	PASS
131	240203419	68	PASS
132	230101951	67,5	PASS
133	230201918	67,5	PASS
134	240201466	67,5	PASS
135	230208737	67	PASS
136	240101442	67	PASS
137	240201416	67	PASS
138	240203454	67	PASS
139	240208465	67	PASS
140	240241451	67	PASS
141	230102003	66,5	PASS
142	240201452	66,5	PASS
143	240201623	66,5	PASS
144	240208445	66,5	PASS
145	240106601	66	PASS
146	240202423	66	PASS
147	230105013	65,5	PASS
148	230208870	65,5	PASS
149	240202411	65,5	PASS
150	220104830	65	PASS
151	240211430	65	PASS
152	220203970	64,5	PASS

153	220208743	64,5	PASS
154	230202909	64,5	PASS
155	230202940	64,5	PASS
156	230102909	63,5	PASS
157	230201823	63,5	PASS
158	230208945	63,5	PASS
159	240201434	63,5	PASS
160	240208432	63,5	PASS
161	240208769	63,5	PASS
162	220203937	63	PASS
163	230203005	63	PASS
164	240208952	63	PASS
165	230202057	62,5	PASS
166	230203023	62,5	PASS
167	230203038	62,5	PASS
168	230205924	62,5	PASS
169	230208848	62,5	PASS
170	230210050	62,5	PASS
171	240211403	62,5	PASS
172	240201464	62	PASS
173	240208418	61,5	PASS
174	240902630	61,5	PASS
175	230104955	61	PASS
176	230201007	61	PASS
177	230210056	61	PASS
178	240101421	61	PASS
179	240104425	61	PASS
180	230102005	60,5	PASS
181	230105400	60,5	PASS
182	230202927	60,5	PASS
183	240202418	60,5	PASS
184	240210449	60,5	PASS
185	230101030	60	PASS
186	240203461	60	PASS
187	230105914	60	PASS
188	230208708	60	PASS
189	240208731	60	PASS
190	240211415	60	PASS
191	230105402	60	PASS
192	230208703	60	PASS
193	240202419	60	PASS
194	230104929	60	PASS
195	230203026	60	PASS
196	230208828	60	PASS
197	240106442	60	PASS
198	240203427	60	PASS
199	240203428	60	PASS
200	230203045	60	PASS
201	240201431	57,5	FAIL
202	240213008	57,5	FAIL

203	230208904	57	FAIL
204	240201417	57	FAIL
205	240201601	57	FAIL
206	240210430	57	FAIL
207	230101034	56,5	FAIL
208	230201066	56,5	FAIL
209	230202902	56,5	FAIL
210	230208832	56,5	FAIL
211	240203434	56,5	FAIL
212	240210415	56,5	FAIL
213	240210451	56,5	FAIL
214	240102427	56	FAIL
215	240201455	56	FAIL
216	230106041	55,5	FAIL
217	230202040	55,5	FAIL
218	230208802	55,5	FAIL
219	240104403	55,5	FAIL
220	220104984	55	FAIL
221	230101007	55	FAIL
222	230203905	55	FAIL
223	240202404	55	FAIL
224	230201931	54,5	FAIL
225	230202026	54,5	FAIL
226	230202928	54,5	FAIL
227	230208739	54,5	FAIL
228	240208438	54,5	FAIL
229	230104035	54	FAIL
230	230106001	54	FAIL
231	230203027	54	FAIL
232	230208741	54	FAIL
233	230211024	54	FAIL
235	230201017	53,5	FAIL
236	240106429	53,5	FAIL
237	240203422	53,5	FAIL
238	230106016	53	FAIL
239	230201927	53	FAIL
240	230208862	53	FAIL
241	230210045	53	FAIL
242	230210913	53	FAIL
243	240101638	53	FAIL
244	240210432	53	FAIL
245	240211416	53	FAIL
246	230202900	52,5	FAIL
247	230208010	52,5	FAIL
248	230211016	52,5	FAIL
249	220210922	52	FAIL
250	230101039	52	FAIL
251	230104012	52	FAIL
252	230202064	52	FAIL
253	240203453	52	FAIL

254	230101944	51,5	FAIL
255	230104921	51,5	FAIL
256	230106036	51,5	FAIL
257	220202991	51	FAIL
258	220203975	51	FAIL
259	230102012	51	FAIL
260	230102015	51	FAIL
261	230104026	51	FAIL
262	230104936	51	FAIL
263	230201976	51	FAIL
264	230208812	51	FAIL
265	240104407	51	FAIL
266	240106435	51	FAIL
267	220208606	50,5	FAIL
268	230201968	50,5	FAIL
269	230208029	50,5	FAIL
270	240106430	50,5	FAIL
271	240203438	50,5	FAIL
272	240208412	50,5	FAIL
273	240211428	50,5	FAIL
274	240201453	50,5	FAIL
275	240210438	50	FAIL
276	220208844	49,5	FAIL
277	230102029	49,5	FAIL
278	230201068	49,5	FAIL
279	230208957	49,5	FAIL
280	240203418	49,5	FAIL
281	230102037	49	FAIL
282	230104024	49	FAIL
283	230101037	48,5	FAIL
284	230208910	48,5	FAIL
285	240101435	48,5	FAIL
286	240211408	48,5	FAIL
287	230102033	48	FAIL
288	230106010	48	FAIL
289	240203449	48	FAIL
290	230106022	47,5	FAIL
291	230201951	47,5	FAIL
292	230202035	47,5	FAIL
293	220202803	47	FAIL
294	230102004	47	FAIL
295	230102022	47	FAIL
296	230104023	47	FAIL
297	230203044	47	FAIL
298	240201626	47	FAIL
299	220208637	46,5	FAIL
300	230101903	46	FAIL
301	230203048	46	FAIL
302	230210040	46	FAIL
303	240202435	46	FAIL

304	230203033	45,5	FAIL
305	230208722	45,5	FAIL
306	230208962	45,5	FAIL
307	240105415	45,5	FAIL
308	240210427	45,5	FAIL
309	230101911	45	FAIL
310	230104021	45	FAIL
311	230106039	45	FAIL
312	230201920	45	FAIL
313	230202037	45	FAIL
314	230202935	45	FAIL
315	230208734	45	FAIL
316	230208853	45	FAIL
317	230208858	45	FAIL
318	240106402	45	FAIL
319	240106604	45	FAIL
320	240211405	45	FAIL
321	230102905	44,5	FAIL
322	230104022	44,5	FAIL
323	230203939	44,5	FAIL
324	230208892	44,5	FAIL
325	230101036	44	FAIL
326	230102036	44	FAIL
327	230104025	44	FAIL
328	230208958	44	FAIL
329	240201440	44	FAIL
330	220101955	43,5	FAIL
331	230105907	43,5	FAIL
332	230104031	42,5	FAIL
333	230105915	42,5	FAIL
334	230201813	42,5	FAIL
335	240101434	42,5	FAIL
336	230105020	42	FAIL
337	230201928	42	FAIL
338	230202919	42	FAIL
339	240102429	42	FAIL
340	240201448	42	FAIL
341	230104953	41,5	FAIL
342	230203039	41,5	FAIL
343	230208988	41,5	FAIL
344	240106414	41,5	FAIL
345	240202425	41,5	FAIL
346	240213010	41,5	FAIL
347	230105040	41	FAIL
348	230208994	40	FAIL
349	230210904	40	FAIL
350	230902040	40	FAIL
351	240201469	40	FAIL
352	240208441	40	FAIL
353	230105027	39	FAIL

354	230105912	39	FAIL
355	230202904	39	FAIL
356	240104446	39	FAIL
357	240210413	39	FAIL
358	240210435	39	FAIL
359	240211437	39	FAIL
360	230102008	38,5	FAIL
361	230211041	38,5	FAIL
362	240210444	38,5	FAIL
363	230201967	38	FAIL
364	230208729	38	FAIL
365	230208852	38	FAIL
366	240101438	38	FAIL
367	240102420	38	FAIL
368	240202451	38	FAIL
369	240210423	38	FAIL
370	230105038	37	FAIL
371	230208851	37	FAIL
372	240203420	37	FAIL
373	230201971	36,5	FAIL
374	230101026	36	FAIL
375	230101027	36	FAIL
376	230210903	36	FAIL
377	240105411	36	FAIL
378	230104033	35,5	FAIL
379	230105016	35,5	FAIL
380	240213011	35,5	FAIL
381	240104427	35	FAIL
382	240106411	35	FAIL
383	220208857	34	FAIL
384	240201425	34	FAIL
385	230105003	33,5	FAIL
386	230105028	33,5	FAIL
387	230208895	33,5	FAIL
388	240210433	33,5	FAIL
389	230203403	33	FAIL
390	230208931	33	FAIL
391	230208974	33	FAIL
392	240101445	33	FAIL
393	230104014	32,5	FAIL
394	230208908	32,5	FAIL
395	230208928	32,5	FAIL
396	230211027	32,5	FAIL
397	240106415	32,5	FAIL
398	220208633	32	FAIL
399	230101402	32	FAIL
400	240102414	32	FAIL
401	240201419	31,5	FAIL
403	230105024	31	FAIL
404	230105039	31	FAIL

405	240104431	31	FAIL
406	23010198	30	FAIL
407	230102032	30	FAIL
408	230102039	30	FAIL
409	240105407	30	FAIL
410	240201445	30	FAIL
411	230102021	29	FAIL
412	240102428	29	FAIL
413	240106431	29	FAIL
414	230101002	28,5	FAIL
415	220104815	28	FAIL
416	220208733	28	FAIL
417	230101019	28	FAIL
418	230208919	28	FAIL
420	240210404	27,5	FAIL
421	230101406	27	FAIL
422	230203943	26,5	FAIL
423	240208447	26	FAIL
424	240106450	25	FAIL
425	240201457	25	FAIL
426	240101426	24	FAIL
427	240102435	24	FAIL
428	240104434	24	FAIL
429	240105422	21	FAIL
430	240210416	21	FAIL
431	240105413	20	FAIL
432	240208649	20	FAIL
433	240104410	19	FAIL
434	230203040	18	FAIL
435	240105424	14	FAIL
436	240209430	12	FAIL

SONUCUNU GÖREMEYENLER TESTING OFISINE YA DA SEKRETERLİĞE MÜRACAAT EDEBİLİRLER.
THE STUDENTS THAT CANNOT SEE THEIR SCORE MUST CONSULT TESTING OFFICE OR SECRETARY.